



## Standard Leafing

Standard series impart a brilliant appearance. Non-wetting properties of these pigments make the flake be aligned at the surface of the coating film and create bright silver effect. They could potentially be used in wide range of uses even for masterbatch application.

### Aluminium Paste: (Solvent: HA)

Grades	Leafing Value min (%)	Non Volatile Content ( $\pm 2\%$ )	Screen Analysis (325 mesh < %)	Water Covering min ( $\text{cm}^2/\text{g} \pm 10\%$ )	Applications
L 80	80	65	1.0	17000	Marine, Industry,
L 85	85	65	1.0	20000	Protective, Roof

### Aluminium Powder:

Grades	Leafing Value min (%)	Non Volatile Content ( $\pm 2\%$ )	Screen Analysis ( $45 \mu\text{m} > \%$ )	Water Covering min ( $\text{cm}^2/\text{g} \pm 10\%$ )	Applications
LP 65	65	99.5	99	7500	Powder Coatings, Anti corrosive Coatings

---

Properties reported here are typical of average lots. Saminfam co. makes no representation that the material in any particular shipment will conform exactly to the values given.